



### System S Conversion Factors

Product	Volume Solids	Specific Gravity	To change g/m <sup>2</sup> to WFT (mm)	To change g/m <sup>2</sup> to DFT (mm)	To change DFT to g/m <sup>2</sup>	To change DFT to WFT (mm)
S602/3	70%	1.30	÷ 1300	X 0.000538	X 1857	÷ 0.70
S605/6	68%	1.37	÷ 1370	X 0.000496	X 2015	÷ 0.68
S607	62%	1.39	÷ 1390	X 0.000446	X 2242	÷ 0.62
S707-60	72%	1.35	÷ 1350	X 0.000533	X 1875	÷ 0.72
S707-90	68%	1.41	÷ 1410	X 0.004822	X 2074	÷ 0.68
S707-120	68%	1.37	÷ 1370	X 0.000496	X 2015	÷ 0.68
S708	70%	1.38	÷ 1380	X 0.0005072	X 1971	÷ 0.70
SC901/2	85%	1.46	÷ 1460	X 0.000582	X 1718	÷ 0.85